

YOUR GLASS SOLUTION
LEIPANG GLASS HARDWARE MANUFACTURER





关于我们
About us

利澎玻璃五金制品厂是国内领先的玻璃门控产品、幕墙以及浴室配件制造商，能够独立自主开发和生产玻璃五金配件。

过32年的发展，依托雄厚的技术基础和先进的管理理念，如今拥有两个厂房和一个展厅，总面积近2万平方米，其中80%以上的产品出口至亚洲、中东、非洲、东欧、南美和北美。

我司主营产品包括地弹簧、玻璃门夹、玻璃门锁、拉手、移门配件、浴室合页、卫浴连接件、幕墙爪、填缝枪、闭门器、窗铰链等配件。我们提供一站式供应，70%的产品由我们自己的工厂生产，30%由我们高品质的合作伙伴生产，使您的采购变得简单快捷。

我们期待与您建立合作关系，在未来实现双赢合作！

LeiPang Glass Hardware Manufacturer is one of the leading domestic manufacturer in the field of glass door control, curtain wall and bathroom accessories, which is capable of developing and producing glass hardware accessories independently.

Through 32 years of development, relied on abundant technological basis and advanced management philosophy, we've had our own two factories and a show room, total area is approximate 20,000 square meters. Over 80% of our products are exported to Asia, Mid-East, Africa, Eastern Europe, South America and North America.

We mainly engage in floor hinge, patch fitting, lock, handle, sliding door accessory, shower hinge, shower connector, spider, caulking gun, door closer, window hinge, etc. One-stop service is offered, 70% of products are manufactured in our own factory, 30% made by our reliable and superior-quality partner, so as to make you purchase simply and fast.

Look forward to establish business relations with you and achieve win-win cooperation in the future!

全球共享

营销全球化布局，是利澎五金前瞻视野与宏观战略。

目前利澎客户已遍布全球各国，除了优秀、系统的玻璃五金制品外，还配备一流的售后服务系统，品牌所到之国均深得用户认可与信赖；在展示方面，利澎采用高端展柜配合展示，使规范整洁的利澎专卖店充分体现“整体”、“设计”、“美学”以及“品质和创新”的品牌价值观。

Globalization of markets is being a prospective vision and overall strategy of our company.

Nowadays our products enjoy great popularity in global market. We provide first-class after-sales service besides a series of glass hardware which is of excellent quality, so that our brand has greatly won recognition and trust from users. As regards display, high-grade showcase is used in order to make the standard and neat LeiPang exclusive shop fully demonstrate brand values of "Whole", "Design", "Aesthetics" and "Quality and Innovation".

LEIPANG GLASS HARDWARE MANUFACTURER
YOUR GLASS SOLUTION



CONTENTS

目录

- 地弹簧系列 Floor hinge series
01-17
- 玻璃门夹系列 Patch fitting series
18-41
- 电子锁系列 Electronic lock series
42-47
- 拉手系列 Handle series
48-54
- 玻璃门锁系列 Glass gate lock series
55-58
- 浴室夹系列 Shower hinge series
59-74
- 隔断码系列 Glass connector series
75-81
- 浴室配件系列 Bathroom accessory series
82-87
- 卫浴挂件系列 Bathroom pendant series
88-97
- 胶条系列 PVC Sealing strip series
98-99
- 移门系列 Sliding wheels series
100-109
- 立柱系列 Balustrade series
110-115
- 玻璃固定配件系列 Glass fixing accessory series
116
- 摇摆门系列 Swing door series
117-121
- 玻璃挂件/幕墙爪系列 Glass hanging fitting/Spider series
122-124
- 门执手系列 Lecer handle series
125-129
- 合页系列 Door hinge series
130-131
- 猫眼、插销系列 Wooden door, accessory series
132-133
- 门顶系列 Door stopper series
134
- 家具拉手系列 Furniture handle series
135
- 玻璃夹系列 Glass clip series
136-137
- VI系列 VI series
138-139


FLOOR HINGE SERIES

地弹簧系列

EJ-18



EJ-18B



EJ-18T




功能说明 The function instruction

传动配件采用优质特种钢材。意大利油封使用寿命达到50万次以上。
通用型设计，适合左、右手及双向开启扇。
采用低温防冻液压油，保证在零下20℃气温下不会影响闭门速度。
安装不需要挖坑，使用产品时更加方便。
适用于各种公共场所的玻璃门。


1. Select the high quality steel for transmission parts. The service life of Italy oil seal is over half a million times.
2. General designed is suitable for opening doors with left/right hand and single/double opening.
3. Filled with high quality anti-icing hydraulic oil, ensuring that closing speed won't be affected at minus 20 degrees.
4. The design no need drill hole on the floor, making installation easier.
5. Applicable in all public glass doors.

外形尺寸 Size




技术参数 Technological data

最大门重为 Door weight	80kg
外观尺寸 Dimension of appearance	195x78x44mm
适用门尺寸 Suitable for door size	800x2000mm
定位角度 Location degree	90° 180° 270° 360°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓






1. 闭门全程液压控制，175° -15° 及15° -0° 两段独立速度调节
 2. 缓冲功能（约于70° 产生）
 3. 门脚定位设于90° 或150°
1. Two-stage closing speed control valves are adjustable from 175° -15° and from 15° -0° , closing process control by hydraulic oil
2. Backcheck function (occurred in about 70 degree)
 3. Door leaf hold open function set in 90° -150°








EJ-220B 地弹簧 Floor hinge

技术参数 Technological data	
最大门重 Door weight	75kg
外观尺寸 Dimension of appearance	252x102x51mm
适用门尺寸 Suitable for door size	800x2000mm
定位角度 Location degree	90°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家Q8/T2697-2005 The products have passed national Q8/T2697-2005	



EJ-50 地弹簧 Floor hinge

技术参数 Technological data	
最大门重 Door weight	85kg
外观尺寸 Dimension of appearance	250x110x47mm
适用门尺寸 Suitable for door size	800x2200mm
定位角度 Location degree	90°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家Q8/T2697-2005 The products have passed national Q8/T2697-2005	








EJ-60 地弹簧 Floor hinge

技术参数 Technological data



最大门重 Door weight	95kg
外观尺寸 Dimension of appearance	251x110x51mm
适用门尺寸 Suitable for door size	900x2000mm
定位角度 Location degree	90°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家Q8/T2697-2005 The products have passed national Q8/T2697-2005	



EJ-65 地弹簧 Floor hinge

技术参数 Technological data



最大门重 Door weight	105kg
外观尺寸 Dimension of appearance	275x108x41mm
适用门尺寸 Suitable for door size	1000x2200mm
定位角度 Location degree	90°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家Q8/T2697-2005 The products have passed national Q8/T2697-2005	







EJ-8100 地弹簧 Floor hinge

技术参数 Technological data	
最大门重 Door weight	100kg
外观尺寸 Dimension of appearance	276x90x50mm
适用门尺寸 Suitable for door size	1000x2200mm
定位角度 Location degree	90° 180° 270° 360°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家Q8/T2697-2005 The products have passed national Q8/T2697-2005	



EJ-75 地弹簧 Floor hinge

技术参数 Technological data	
最大门重 Door weight	100kg
外观尺寸 Dimension of appearance	276x83x52mm
适用门尺寸 Suitable for door size	1000x2200mm
定位角度 Location degree	90° 180° 270° 360°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家Q8/T2697-2005 The products have passed national Q8/T2697-2005	








EJ-84 地弹簧 Floor hinge

技术参数 Technological data

最大门重为 Door weight	120kg
外观尺寸 Dimension of appearance	305x108x41mm
适用门尺寸 Suitable for door size	1000x2400mm
定位角度 Location degree	90° 135°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家Q8/T2697-2005 The products have passed national Q8/T2697-2005	





① Adjusting doorleaf to the center




EJ-2400 地弹簧 Floor hinge

技术参数 Technological data

最大门重为 Door weight	180-250kg
外观尺寸 Dimension of appearance	322x130x61mm
适用门尺寸 Suitable for door size	1500x3000mm
定位角度 Location degree	90°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家Q8/T2697-2005 The products have passed national Q8/T2697-2005	






① Adjusting doorleaf to the center








EJ-7315 地弹簧 Floor hinge

技术参数 Technological data	
最大门重 Door weight	75kg
外观尺寸 Dimension of appearance	225x105x56mm
适用门尺寸 Suitable for door size	800x2000mm
定位角度 Location degree	90° 135°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家QB/T2697-2005 The products have passed national QB/T2697-2005	



EJ-7335 地弹簧 Floor hinge

技术参数 Technological data	
最大门重 Door weight	100kg
外观尺寸 Dimension of appearance	230x130x65mm
适用门尺寸 Suitable for door size	1000x2200mm
定位角度 Location degree	90° 135°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家QB/T2697-2005 The products have passed national QB/T2697-2005	








EJ-730 地弹簧 Floor hinge

技术参数 Technological data




最大门重 Door weight	120kg
外观尺寸 Dimension of appearance	283x131x70mm
适用门尺寸 Suitable for door size	1000x2300mm
定位角度 Location degree	90° 135°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家QB/T2697-2005 The products have passed national QB/T2697-2005	



EJ-760 地弹簧 Floor hinge

技术参数 Technological data

最大门重 Door weight	105kg
外观尺寸 Dimension of appearance	272x123x68.5mm
适用门尺寸 Suitable for door size	1000x2200mm
定位角度 Location degree	90° 135°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家QB/T2697-2005 The products have passed national QB/T2697-2005	





EJ-205A 地弹簧 Floor hinge

技术参数 Technological data



最大门重为 Door weight	120kg
外观尺寸 Dimension of appearance	263x123x50mm
适用门尺寸 Suitable for door size	1000x2300mm
定位角度 Location degree	90°
双开门 Double action door	✓
两段调节速度 2 Section speed adjustment valve	✓
通过国家QB/T2697-2005 The products have passed national QB/T2697-2005	





锌合金配件
Zinc alloy accessory

铝合金配件
Aluminum alloy accessory


TRANSOM/HEADER BAR, 70mm PIVOT POINT




SIDE-LOAD TOP ARM AND CHANNEL, 70 mm PIVOT POINT



CONCEALED OVERHEAD DOOR CLOSER
CENTRE PIVOTED - DOUBLE OR SINGLE ACTING




SIDE-LOAD BOTTOM PIVOT ASSEMBLY, 70 mm PIVOT POINT




EJ-233

弹簧地轴
Bottom pivot
材质：不锈钢
Material : Stainless steel




EJ-333

固定轴件
Top pivot
材质：不锈钢
Material : Stainless steel




EJ-233B

弹簧地轴
Bottom pivot
材质：不锈钢
Material : Stainless steel



EJ-333B

固定轴件
Top pivot
材质：不锈钢
Material : Stainless steel



EJ-ACC01

地弹簧配件
Fittings for floor hinge
材质：铸铁
Material : Casting Iron



EJ-ACC02

地弹簧配件
Fittings for floor hinge
材质：铸铁
Material : Casting Iron



EJ-ACC03

地弹簧配件
Fittings for floor hinge
材质：铝合金
Material : Aluminum



EJ-ACC04

地弹簧配件
Fittings for floor hinge
材质：铸铁
Material : Casting Iron



EJ-ACC05

地弹簧配件
Fittings for floor hinge
材质：铸铁
Material : Casting Iron



EJ-ACC06

地弹簧配件
Fittings for floor hinge
材质：铸铁
Material : Casting Iron

PATCH FITTING SERIES

玻璃门夹系列




玻璃门夹系列
PATCH FITTING SERIES

YOUR GLASS SOLUTION
LEIPANG GLASS HARDWARE MANUFACTURER





方型夹门夹安装解说图
SQUARE PATCH FITTING MODELS





注：适用于厚度为8MM-12MM的钢化玻璃门
Attention: Suitable for 8MM-12MM toughened glass


方型门夹扇式样
SQUARE PATCH FITTING MODELS



异型门夹扇式样
IRREGULAR PATCH FITTING MODELS



图纸说明
INSTRUCTIONS






EJ-010 下夹 Bottom patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、锌合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
- 4.可与市面上流通的Dorma、New star、MAB 地弹簧配合使用。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy / Zinc-alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
4. Bottom patch available for Dorma, New star, MAB etc. floor hinge

外观尺寸 Dimensions




EJ-020 上夹 Top patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、锌合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
- 4.可与市面上流通的Dorma、New star、MAB 地弹簧配合使用。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy / Zinc-alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
4. Bottom patch available for Dorma, New star, MAB etc. floor hinge

外观尺寸 Dimensions




EJ-030 顶夹 Overpanel pivot patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、锌合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
- 4.可与市面上流通的Dorma、New star、MAB 地弹簧配合使用。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy / Zinc-alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
4. Bottom patch available for Dorma, New star, MAB etc. floor hinge

外观尺寸 Dimensions




EJ-030S 顶夹 Overpanel pivot patch with screw

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、锌合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy / Zinc-alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-030P 顶夹 Overpanel pivot patch with plate

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、锌合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy / Zinc-alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-040 曲夹 Overpanel corner 'L' patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、锌合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy / Zinc-alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-040B 副曲夹 Overpanel strike box 'L' patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、锌合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy / Zinc-alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-050A 锁夹 Patch lock

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、锌合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
- 4.应用范围: 中央门锁或地锁。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy / Zinc-alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
4. Application: Centre Lock or Corner lock

外观尺寸 Dimensions






EJ-050B 锁夹 Patch lock

外观尺寸 Dimensions


- 适用于：10mm / 12mm玻璃。
 - 材质：铝合金、锌合金、不锈钢外壳。
 - 表面处理：砂光、亮光、钛金。
 - 应用范围：中央门锁或地锁。
- Fit for glass thickness : 10mm / 12mm
 - Material : Aluminum alloy / Zinc-alloy
Stainless steel cover plate
 - Finish : Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
 - Application : Centre Lock or Corner lock



EJ-050C 锁夹 Patch lock

外观尺寸 Dimensions


- 适用于：10mm / 12mm玻璃。
 - 材质：铝合金、锌合金、不锈钢外壳。
 - 表面处理：砂光、亮光、钛金。
 - 应用范围：中央门锁或地锁。
- Fit for glass thickness : 10mm / 12mm
 - Material : Aluminum alloy / Zinc-alloy
Stainless steel cover plate
 - Finish : Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
 - Application : Centre Lock or Corner lock



EJ-050D 锁夹 Patch lock

外观尺寸 Dimensions


- 适用于：10mm / 12mm玻璃。
 - 材质：铝合金、锌合金、不锈钢外壳。
 - 表面处理：砂光、亮光、钛金。
 - 应用范围：中央门锁或地锁。
- Fit for glass thickness : 10mm / 12mm
 - Material : Aluminum alloy / Zinc-alloy
Stainless steel cover plate
 - Finish : Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
 - Application : Centre Lock or Corner lock



EJ-050E 锁夹 Patch lock

外观尺寸 Dimensions


- 适用于：10mm / 12mm玻璃。
 - 材质：铝合金、锌合金、不锈钢外壳。
 - 表面处理：砂光、亮光、钛金。
 - 应用范围：中央门锁或地锁。
- Fit for glass thickness : 10mm / 12mm
 - Material : Aluminum alloy / Zinc-alloy
Stainless steel cover plate
 - Finish : Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
 - Application : Centre Lock or Corner lock



EJ-050K 副锁夹 Strike box

外观尺寸 Dimensions


- 适用于：10mm / 12mm玻璃。
 - 材质：铝合金、锌合金、不锈钢外壳。
 - 表面处理：砂光、亮光、钛金。
- Fit for glass thickness : 10mm / 12mm
 - Material : Aluminum alloy / Zinc-alloy
Stainless steel cover plate
 - Finish : Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)



EJ-050L 副锁夹 Strike box

外观尺寸 Dimensions


- 适用于：10mm / 12mm玻璃。
 - 材质：铝合金、不锈钢外壳。
 - 表面处理：砂光、亮光、钛金。
- Fit for glass thickness : 10mm / 12mm
 - Material : Aluminum alloy
Stainless steel cover plate
 - Finish : Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)



EJ-050H 锁夹 Patch lock

外观尺寸 Dimensions


- 适用于：10mm / 12mm玻璃。
 - 材质：铝合金、锌合金、不锈钢外壳。
 - 表面处理：砂光、亮光、钛金。
 - 应用范围：中央门锁或地锁。
- Fit for glass thickness : 10mm / 12mm
 - Material : Aluminum alloy / Zinc-alloy
Stainless steel cover plate
 - Finish : Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
 - Application : Centre Lock or Corner lock



EJ-050I 副锁夹 Strike box

外观尺寸 Dimensions

- 适用于：10mm / 12mm玻璃。
 - 材质：铝合金、不锈钢外壳。
 - 表面处理：砂光、亮光、钛金。
- Fit for glass thickness : 10mm / 12mm
 - Material : Aluminum alloy
Stainless steel cover plate
 - Finish : Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)






EJ-060 半圆锁 Patch lock

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
 - 4.应用范围: 中央门锁或地锁。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Aluminum alloy
Casting stainless steel
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
 4. Application: Centre Lock or Corner lock


外观尺寸 Dimensions



EJ-060B 方型锁 Patch lock

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
 - 4.应用范围: 中央门锁或地锁。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Aluminum alloy
Casting stainless steel
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
 4. Application: Centre Lock or Corner lock


外观尺寸 Dimensions



EJ-2030 顶夹 Overpanel pivot patch

- 1.适用于: 10mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-2040P 上夹 Top patch with plate

- 1.适用于: 10mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-2040 上夹 Top patch

- 1.适用于: 10mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-2010 下夹 Bottom patch

- 1.适用于: 10mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-2020 上夹 Top patch

- 1.适用于: 10mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-2050 锁夹 Patch lock

- 1.适用于: 10mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
 - 4.应用范围: 中央门锁或地锁。
1. Fit for glass thickness: 10mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
 4. Application: Centre Lock or Corner lock

外观尺寸 Dimensions






EJ-3010 下夹 Bottom patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
- 4.可与市面上流通的Dorma、New star、MBA 地弹簧配合使用。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
4. Bottom patch available for Dorma, New star, MBA etc. floor hinge

外观尺寸 Dimensions




EJ-3020 上夹 Top patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
- 4.可与市面上流通的Dorma、New star、MBA 地弹簧配合使用。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
4. Bottom patch available for Dorma, New star, MBA etc. floor hinge

外观尺寸 Dimensions




EJ-3030 顶夹 Overpanel pivot patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-3030S 顶夹 Overpanel pivot patch with screw

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-3030P 顶夹 Overpanel pivot patch with plate

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-3040 曲夹 Overpanel corner "L" patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-3040B 副曲夹 Overpanel strike box "L" patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-3050 锁夹 Patch lock

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
- 4.应用范围: 中央门锁或地锁。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
4. Application: Centre Lock or Corner lock

外观尺寸 Dimensions






EJ-3050B 副锁夹 Strike box

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-4010 下夹 Bottom patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-4020 上夹 Top patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-4030P 顶夹 Overpanel pivot patch with plate

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-4040 曲夹 Overpanel corner "L" patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-4050 锁夹 Center lock

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
- 4.应用范围: 中央门锁或地锁。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
4. Application: Centre Lock or Corner lock


外观尺寸 Dimensions



EJ-4050B 副锁夹 Strike box

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-5020 上夹 Top patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions






EJ-5010 下夹 Bottom patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-5030 顶夹 Overpanel pivot patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-5040 曲夹 Overpanel corner "L" patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-5050 锁夹 Patch lock

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
- 应用范围: 中央门锁或地锁。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)
4. Application: Centre Lock or Corner lock


外观尺寸 Dimensions



EJ-5050B 副锁夹 Strike box

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-6010 下夹 Bottom patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-6020 上夹 Top patch

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions



EJ-6030 顶夹 Overpanel pivot patch with plate

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Stainless steel cover plate
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)


外观尺寸 Dimensions






EJ-6040 曲夹 Overpanel corner "L" patch

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)




EJ-6050 锁夹 Patch lock

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)




EJ-7010 下夹 Bottom patch

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)




EJ-7020 上夹 Top patch

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)




EJ-7030 顶夹 Overpanel pivot patch

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)




EJ-7040 曲夹 Overpanel corner "L" patch

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)




EJ-7050 锁夹 Bottom lock

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 铝合金、不锈钢外壳。
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Aluminum alloy
Stainless steel cover plate
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)



EJ-704 异性夹 Connector patch

- 1.适用于: 10mm / 12mm玻璃。
 - 2.材质: 精铸不锈钢
 - 3.表面处理: 砂光、亮光、钛金。
1. Fit for glass thickness: 10mm / 12mm
 2. Material: Casting stainless steel
 3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)






EJ-715 小夹 Connector for 2 glass panels with screw

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Casting stainless steel
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-717 小锁 Turn knob lock

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Casting stainless steel
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-716 一字夹 Connector for 2 glass panels with screw

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Casting stainless steel
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-718 小副锁 Strike box

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Casting stainless steel
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-716A 一字夹 Connector for 2 glass

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Casting stainless steel
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-718B 小夹 Connector for glass panel

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Casting stainless steel
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-640 小夹 Connector for 2 glass panel with screw

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Casting stainless steel
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions




EJ-718C 小夹 Connector for glass panel

- 1.适用于: 10mm / 12mm玻璃。
- 2.材质: 铝合金、不锈钢外壳。
- 3.表面处理: 砂光、亮光、钛金。

1. Fit for glass thickness: 10mm / 12mm
2. Material: Aluminum alloy
Casting stainless steel
3. Finish: Satin stainless steel(SSS)
Polished stainless steel(PSS)
Titanium plated(Ti)

外观尺寸 Dimensions



ELECTRONIC LOCK SERIES

电子锁系列



电子锁系列
ELECTRONIC LOCK SERIES

YOUR GLASS SOLUTION
LEIPANG GLASS HARDWARE MANUFACTURER




红古



金色



银色



APP开
APP



密码开
Code



钥匙开
Key



微信临时密码开
One time
password of
WeChat



指纹开
Fingerprint



磁卡开
RF Card



遥控开
Remote Control



人脸识别开
Face Identification

EJ-8001 指纹密码锁 Fingerprint lock

产品特点

- 八合一全自动开锁方式，人脸+指纹+密码+卡片+微信临时密码+APP(定制)+机械钥匙+人脸识别
- 3D 人脸扫描识别开锁，彻底杜绝照片开锁。
- 人体感应唤醒，人走到门前自动唤醒进入工作状态。
- 陀螺仪精准定位，自动上锁。(选配)
- 半导体生物识别指纹采集头，防假手指，防克隆指纹开锁。
- 微信临时密码开门，即使不在家也可以发送临时密码给需要进家的人开门。
- 专利镜头盖打开报警装置，并与手机联动，实时监控镜头状态。
- 超C级锁芯，防技术开锁。
- 整锁防撬报警，防夹设计，杜绝一切暴力开锁。
- 安装孔位可调节，适配性更强。
- USB应急供电，防止没有电开不了锁。
- 一键重启动，防止系统死机。
- 配OLED显示屏+语音导航，即使不看说明书也能轻松完成各项操作。
- 标配两个可充电电池，循环充电500次以上。
- 门铃功能。
- 电机静音设计，开锁体验更佳。
- 锁体万能互换，不拆锁体也可直接安装。

PRODUCT CHARACTERISTICS

- 8 different options for unlocking
- 3D face identification, eradicating unlocking with photo
- Auto-sensing, lock will be woken up automatically if there is person in front of door
- Pinpointing with gyroscope, auto locking (optional)
- Semiconducting biometric fingerprint collector, eradicating fake finger & clonal fingerprint
- One time password of WeChat, person can open the door with one time password
- Patented alarm device, message sent to your mobile phone if lock cylinder is touched
- Super C grade lock cylinder, eradicating technical unlocking
- Special design for eradicating violent unlocking
- Hole for installation is adjustable, more convenient
- USB emergency power supply
- One key reboot
- With LED display and voice guide
- Equipped with 2 rechargeable Li-ion battery
- With doorbell
- With mute motor
- Interchangeable lock body

类别	明细表	技术描述
工作电源	工作电压 (电源)	可充电电池
	报警电压	4.8V ± 0.2V
功耗	静态电流	≤ 80uA
	动态电流	≤ 300mA
指纹采集	电容式指纹采集面积	15x15mm
	图像分辨率	500DPI
	比对时间	< 300ms
	指纹容量	300枚 (可扩展)
	拒真率	< 0.1%
	误识率	< 0.0001%
	对比方式	1:N
	工作温度	-20°C - 60°C
	工作湿度	10% - 90%
	工作频率	13.56MHz
射频卡		

Item	Detail	Technological data
Working Power Supply	Working Power Supply	Li-ion battery
	Alarm voltage	4.8V ± 0.2V
Power dissipation	resting current	≤ 80uA
	Dynamic current	≤ 300mA
Fingerprint collect	Area of fingerprint collector	15x15mm
	Resolution	500DPI
	Comparing time	< 300ms
	Capacity of fingerprint	300 PCS(expandable)
	Fales reject rate	< 0.1%
	Fales accept rate	< 0.0001%
	Method of comparing	1:N
	Working temperature	-20°C - 60°C
RF Card	Working humidity	10% - 90%
	Working frequency	13.56MHz



EJ-8003 指纹密码锁 Fingerprint lock

PRODUCT CHARACTERISTICS

- 7 different options for unlocking
- With automatic lock cover
- Automatic mute lock cover (optional)
- Semiconductor biometric fingerprint collector, eradicating fake finger
- & clonal fingerprint
- APP is available
- One time password of WeChat, person can open the door with one time password
- Patented alarm device, message sent to your mobile phone if lock cylinder is touched
- Super C grade lock cylinder, eradicating technical unlocking
- Special design for eradicating violent unlocking
- Patented child lock design
- With patented plain spherical bearing
- Patented door viewer design
- Hole for installation is adjustable, more convenient
- Modularized lock design, convenient for repairing and replacing
- With self-inspection system
- USB emergency power supply
- One key reboot
- With LED display and voice guide
- With imported high quality motor, life time of motor is over 1,000,000 times
- With dissociative handle, eradicating violent unlocking

类别	明细表	技术参数
工作电源	工作电压（电源）	6V、8节5#高碱性锂电池
	电池寿命	>26,000次
	稳压电压	4.8V±0.2V
功耗	静态电流	≤55uA
	动态电流	≤200mA
	电容式指纹采集面积	12x15mm
指纹采集	图像分辨率	500DPI
	比对时间	<300ms
	指纹存储量	300枚（可扩展）
	拒真率	<0.1%
	误率率	<0.0001%
	对比方式	1:1
时续卡	工作温度	-20℃~60℃
	工作湿度	10%-90%
	工作频率	13.56MHz

Item	Detail	Technological data
Power Supply	Working Voltage Life of battery Alarm voltage	6V, 4PCS AA size alkaline battery > 26,000 times 4.8V $\pm$ 0.2V
Power dissipation	resting current Dynamic current	$\leq$ 55uA $\leq$ 200mA
Fingerprint collect	Area of fingerprint collector	12x15mm
	Resolution	500DPI
	Comparing time	<300mS
	Capacity of fingerprint	300 PCS(expandable)
	Fales reject rate	<0.1%
	Fales accept rate	<0.0001%
RF Card	Method of comparing	1-N
	Working temperature	-20°C -60°C
	Working humidity	10%-90%
	Working frequency	13.56MHz

PRODUCT CHARACTERISTICS

- 七合一开锁方式：指纹+密码+卡片+临时密码+APP(选配)+遥控(选配)+机械钥匙。
- 半导电子锁防拆防撬探头，防拆报警，防撬防撬报警。
- 选配APP密码锁，打开电源盖盖盖，智能解锁，连接到网络，可以实时监控，远程开锁。
- 接收短信提醒开门，即使不在家也可以发送临时密码给亲戚进家进入家门。
- 专利紧急关门打警报警装置，并与手机联动，实时监控锁芯状态。
- 超C级锁芯+防撬盖保护，防技术开锁，防暴力开锁。
- 整锁防撬报警，防夹设计，杜绝一切暴力开锁。
- 专利儿童童锁装置，有效防止儿童在家门上保险舌而无法开门。
- 专利方向全金属离合离合盖，块左右不用拆掉，有效杜绝拆掉后螺丝撬不家的致命三个薄弱点设计，使把手上握更轻便，使用寿命更长。
- 专利防撬模块快装置。
- 安装孔位可调节，适配性更强。
- 整锁模块化设计，维护更换便捷。
- 系统自检，系统自动检测测试各项设备工作状况。
- USB应急供电，防止没有电而无法开门。
- 一键重启动功能，防止系统死机。
- 配OLED显示屏+语音导航，即使不看说明书也能轻松完成各项操作。
- 进口电机，无源开锁100万次以上。
- 防离把手，防止暴力破坏。
- 不锈钢材质，坚固耐用。

- 7 different options for unlocking
- Semiconducting biometric fingerprint collector, eradicating fake finger & clonal fingerprint
- APP is available
- One time password of WeChat, person can open the door with one time password
- Patented alarm device, message sent to your mobile phone if lock cylinder is touched
- Super C grade lock cylinder, eradicating technical unlocking
- Special design for eradicating violent unlocking
- Patented child lock design
- With patented plain spherical bearing
- Patented door viewer design
- Hole for installation is adjustable, more convenient
- Modularized lock design, convenient for repairing and replacing
- With self-inspection system
- USB emergency power supply
- One key reboot
- With LED display and voice guide
- With imported high quality motor, life time of motor is over 1,000,000 times
- With dissociative handle, eradicating violent unlocking
- Stainless steel material, strong and durable

类别	明细表	技术指标
工作电源	工作电压（电源）	6V、4节54号碱性锂电池
	电池寿命	> 30、000次
功耗	充电电压	4.8V ± 0.2V
	静态电流	≤ 50uA
	动态电流	≤ 200mA
指控采集	电容式指控采集面积	15x15mm
	图像分辨率	500DPI
	比对时间	< 300ms
	指控容量	300枚（可扩展）
	拒真率	< 0.1%
	认假率	< 0.0001%
	对比方式	1-N
时控卡	工作温度	-20℃~60℃
	工作湿度	10%-90%
	工作效率	13.56MHz

Item	Detail	Technological data
Power Supply	Working Voltage	6V, 4PCS AA size alkaline battery
	Life of battery	> 30,000 times
	Alarm voltage	4.8V $\pm$ 0.2V
Power dissipation	resting current	$\leq$ 50uA
	Dynamic current	$\leq$ 200mA
	Area of fingerprint collector	15x15mm
Fingerprint collect	Resolution	500DPI
	Comparing time	< 300ms
	Capacity of fingerprint	300 PCS(expendable)
	Fales reject rate	< 0.1%
	Fales accept rate	< 0.0001%
	Method of comparing	1:N
	Working temperature	-20°C -60°C
RF Card	Working humidity	10%-90%
	Working frequency	13.56MHz

ELECTRONIC LOCK SERIES

电子锁系列



电子锁系列

ELECTRONIC LOCK SERIES

YOUR GLASS SOLUTION
LEIPANG GLASS HARDWARE MANUFACTURER

EJ-8004 指纹密码锁 Fingerprint lock

产品特点

- 可以使用指纹、卡片、密码、APP开门
- 支持遥控开门（选配），高效便捷
- 多种开门模式可选，强化了门锁的安全等级
- 用户的添加和删除采用基于编号的管理
- 组合开锁，双重功能，使门锁安全更具保障
- 具有防暴力破坏功能
- 开机自检，智能识别功能模块，快速适配功能，如指纹+密码或刷卡+密码等
- 具有开锁记录查询功能，时刻掌握门锁使用情况
- 所有元件均采用国际知名品牌产品，质量稳定可靠
- 门锁模块经过防水、防潮、防霉处理
- 门锁模块经过高低温、振动、老化等测试，适应恶劣环境

PRODUCT CHARACTERISTICS

- Unlocking by Fingerprint, RF card, Code or APP
- Remote control unlocking is available (optional)
- Multimode of unlocking, strengthen security level of lock
- Management based on code, can be added or deleted by user
- Unlocking of combination method
- With the function of preventing other people to peep at the password
- With self-inspection system
- Use can inquire record of unlocking
- All accessories are qualified, durable and stable
- Lock module is specially processed for waterproof, dampproof and mildew proof
- Lock module is passed low & high temperature test, vibration test and ageing test



电源供应	4.5V-6.5V(即4节干电池)
典型静态电流	< 55毫安(电池寿命可超一年)
工作电流	< 250毫安(驱动能力强)
静态电流	< 30uA(驱动能力强)
开锁密码数量	≤ 1组
开门密码数量	≤ 499组
开门卡片数量	≤ 2000组
记录查询数量	≤ 2000组
分辨率	500DPI
拒真率	≤ 0.15%
误识率	≤ 0.00004%
工作温度	-30°C-60°C
相对湿度	20%-93%

Power Supply	4.5-6.5V(4PCS AA size battery)
Typical resting current	55mA (battery life is over 1 year)
Working current	250mA (stronger driving power)
Resting current	30uA (stronger driving power)
Code with permission	1 group
Unlocking code	1 group
Capacity of fingerprint	499 groups
Capacity of RF Card	2000 groups
Capacity of unlocking record	2000 groups
Resolution	500DPI
Fales reject rate	≤ 0.15%
Fales accept rate	≤ 0.00004%
Working temperature	-30°C-60°C
Working humidity	20%-93%

EJ-8005 指纹密码锁 Fingerprint lock

产品特点

- 可以使用指纹、卡片、密码、APP开门
- 支持遥控开门（选配），高效便捷
- 多种开门模式可选，强化了门锁的安全等级
- 用户的添加和删除采用基于编号的管理
- 组合开锁，双重功能，使门锁安全更具保障
- 具有防暴力破坏功能
- 开机自检，智能识别功能模块，快速适配功能，如指纹+密码或刷卡+密码等
- 具有开锁记录查询功能，时刻掌握门锁使用情况
- 所有元件均采用国际知名品牌产品，质量稳定可靠
- 门锁模块经过防水、防潮、防霉处理
- 门锁模块经过高低温、振动、老化等测试，适应恶劣环境

PRODUCT CHARACTERISTICS

- Unlocking by Fingerprint, RF card, Code or APP
- Remote control unlocking is available (optional)
- Multimode of unlocking, strengthen security level of lock
- Management based on code, can be added or deleted by user
- Unlocking of combination method
- With the function of preventing other people to peep at the password
- With self-inspection system
- Use can inquire record of unlocking
- All accessories are qualified, durable and stable
- Lock module is specially processed for waterproof, dampproof and mildew proof
- Lock module is passed low & high temperature test, vibration test and ageing test




电源供应	4.5V-6.5V(即4节干电池)
典型静态电流	< 55毫安(电池寿命可超一年)
工作电流	< 250毫安(驱动能力强)
静态电流	< 30uA(驱动能力强)
开锁密码数量	≤ 1组
开门密码数量	≤ 499组
开门卡片数量	≤ 2000组
记录查询数量	≤ 2000组
分辨率	500DPI
拒真率	≤ 0.15%
误识率	≤ 0.00004%
工作温度	-30°C-60°C
相对湿度	20%-93%

Power Supply	4.5-6.5V(4PCS AA size battery)
Typical resting current	55mA (battery life is over 1 year)
Working current	250mA (stronger driving power)
Resting current	30uA (stronger driving power)
Code with permission	1 group
Unlocking code	1 group
Capacity of fingerprint	499 groups
Capacity of RF Card	2000 groups
Capacity of unlocking record	2000 groups
Resolution	500DPI
Fales reject rate	≤ 0.15%
Fales accept rate	≤ 0.00004%
Working temperature	-30°C-60°C
Working humidity	20%-93%

HANDLE SERIES

拉手系列



拉手系列
HANDLE SERIES

YOUR GLASS SOLUTION
LEIPANG GLASS HARDWARE MANUFACTURER




规格/Size

L	C/C	D
2000	1125	Φ35

EJ-801

材质: 不锈钢
表面处理: 砂光、镜光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
800	500	Φ38
1200	800	Φ38

EJ-803

材质: 不锈钢
表面处理: 砂光、镜光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
800	600	25x45
1200	800	25x45

EJ-804

材质: 不锈钢
表面处理: 砂光、镜光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
1500	1120	Φ35

EJ-802

材质: 不锈钢
表面处理: 砂光、镜光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
800	600	Φ38

EJ-805

材质: 不锈钢
表面处理: 砂光、镜光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
600	400	25x45
800	500	25x45
1200	800	25x45

EJ-806

材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
600	400	Φ38
800	500	Φ51

EJ-807


材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
450	415	25x25

EJ-808


材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
1200	800	25x38
1800	1400	25x38

EJ-812


材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
300	285	30x15
400	385	30x15
600	575	38x25
800	775	38x25

EJ-813

材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
600	300	Φ38

EJ-814

材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
600	400	Φ32

EJ-809

材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
600	400	25x45
800	500	25x45
1200	800	25x45

EJ-810

材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
1200	1175	25x38

EJ-811


材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
600	400	Φ38

EJ-815


材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
600	400	Φ38

EJ-816


材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size		
L	C/C	D
300	160	Φ28
600	400	Φ38

EJ-817

材质: 不锈钢
表面处理: 砂光、抛光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
300	200	Φ25
450	300	Φ32
600	400	Φ32
1200	800	Φ38
1800	1400	Φ38

EJ-818

材质: 不锈钢
表面处理: 砂光、镀光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
300	200	Φ25
600	400	Φ32
1200	800	Φ38

EJ-819

材质: 不锈钢
表面处理: 砂光、镀光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
450	400	13x33

EJ-822

材质: 不锈钢
表面处理: 砂光、镀光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
200 x 400	181 x 381	Φ19
250 x 450	225 x 425	Φ25
300 x 500	268 x 468	Φ32

EJ-833

材质: 不锈钢
表面处理: 砂光、镀光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
600	400	Φ32
1200	800	Φ38
1800	1400	Φ38

EJ-820

材质: 不锈钢
表面处理: 砂光、镀光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin



规格/Size

L	C/C	D
500	300	Φ38
600	300	Φ38

EJ-821

材质: 不锈钢
表面处理: 砂光、镀光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin




规格/Size

L	C/C	D
300	275	Φ25
450	418	Φ32
600	568	Φ32

EJ-834

材质: 不锈钢
表面处理: 砂光、镀光、钛金、半砂
Material: Stainless steel
Finish: Satin Stainless Steel (SSS)
Polished Stainless Steel (PSS)
Titanium Plated (Ti)
Semi-satin






EJ-835 EJ-835A



EJ-836 EJ-836A



EJ-837 EJ-837A EJ-837B



EJ-838 EJ-838A



EJ-839



EJ-840A



EJ-841



EJ-842



EJ-843



EJ-844



EJ-845



EJ-846



EJ-847



EJ-848



EJ-849



EJ-850




EJ-851



EJ-852




GLASS
GATE LOCK
SERIES
玻璃门锁系列




EJ-9001

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：锌合金
3. 表面处理：铬白、拉丝镍、珍珠铬
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Zinc alloy
3. Finish : Chrome, Satin nickel, Pearl chrome




EJ-9002

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：锌合金
3. 表面处理：铬白、拉丝镍、珍珠铬
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Zinc alloy
3. Finish : Chrome, Satin nickel, Pearl chrome




EJ-9003

1. 适用门厚：适用于10~12mm的钢化玻璃
2. 材质：锌合金、不锈钢
3. 表面处理：拉丝(可订做镜光、钛金等)
1. Fit for glass thickness : 10~12mm toughened glass
2. Material : Zinc alloy, Stainless steel
3. Finish : Satin(mirror/titanium etc. can be custom-made)




EJ-9004

1. 适用门厚：适用于10~12mm的钢化玻璃
2. 材质：锌合金、不锈钢
3. 表面处理：拉丝(可订做镜光、钛金等)
1. Fit for glass thickness : 10~12mm toughened glass
2. Material : Zinc alloy, Stainless steel
3. Finish : Satin(mirror/titanium etc. can be custom-made)




EJ-9005

1. 适用门厚：适用于10~12mm的钢化玻璃
2. 材质：锌合金、不锈钢
3. 表面处理：拉丝(可订做抛光、钛金等)
1. Fit for glass thickness : 10~12mm toughened glass
2. Material : Zinc alloy, Stainless steel
3. Finish : Satin/mirror/titanium etc. can be custom-made




EJ-9006

1. 适用门厚：适用于10~12mm的钢化玻璃
2. 材质：锌合金、不锈钢
3. 表面处理：拉丝(可订做抛光、钛金等)
1. Fit for glass thickness : 10~12mm toughened glass
2. Material : Zinc alloy, Stainless steel
3. Finish : Satin/mirror/titanium etc. can be custom-made




EJ-9007

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9008

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9009

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9010

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9011

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9012

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9013

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9014

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9015

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9016

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9017

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9018

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished



EJ-9019

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished




EJ-9020

1. 适用门厚：适用于10~18mm的钢化玻璃
2. 材质：不锈钢、铁
3. 表面处理：拉丝、亮光
1. Fit for glass thickness : 10~18mm toughened glass
2. Material : Stainless steel, Iron
3. Finish : Satin, Polished


EJ-9021

1.材质：铁
2.表面处理：拉丝、亮光
1.Material : Iron
2.Finish : Satin, Polished




EJ-9022

1.材质：铁
2.表面处理：拉丝、亮光
1.Material : Iron
2.Finish : Satin, Polished




EJ-9023

1.材质：不锈钢、铁
2.表面处理：拉丝、亮光
1.Material : Stainless steel, Iron
2.Finish : Satin, Polished




EJ-9024

1.材质：不锈钢、铁
2.表面处理：拉丝、亮光
1.Material : Stainless steel, Iron
2.Finish : Satin, Polished




EJ-9025

1.材质：不锈钢、铁
2.表面处理：拉丝、亮光
1.Material : Stainless steel, Iron
2.Finish : Satin, Polished




EJ-9026

1.材质：不锈钢、铁
2.表面处理：拉丝、亮光
1.Material : Stainless steel, Iron
2.Finish : Satin, Polished




EJ-9027

1.材质：铁
2.表面处理：拉丝、亮光
1.Material : Iron
2.Finish : Satin, Polished



EJ-9028

1.材质：铁
2.表面处理：拉丝、亮光
1.Material : Iron
2.Finish : Satin, Polished



SHOWER HINGE SERIES

浴室夹系列





EJ-001

淋浴房套装 Shower room combo

- A. 拉手-1付
- B. 合页-2只
- C. 90° 角码-4只
- D. 吊夹-2只
- E. 135° 转角-2只
- F. 法兰-2只
- G. 下挡水-1套

- A. Handle-1Pair
- B. Hinge-2Pcs
- C. Connector-4Pcs
- D. Clamp-2Pcs
- E. 135° Connector-2Pcs
- F. Partition-2Pcs
- G. Clamp1Set




EJ-002

淋浴房套装 Shower room combo

- A. 拉手-1付
- B. 合页-2只
- C. 90° 角码-4只
- D. 吊夹-2只
- E. 135° 转角-2只
- F. 法兰-2只
- G. 下挡水-1套

- A. Handle-1Pair
- B. Hinge-2Pcs
- C. Connector-4Pcs
- D. Clamp-2Pcs
- E. 135° Connector-2Pcs
- F. Partition-2Pcs
- G. Clamp1Set





EJ-003

淋浴房套装 Shower room combo

- A. 拉手-1付
- B. 合页-2只
- C. 90° 角码-4只
- D. 吊夹-2只
- E. 135° 转角-2只
- F. 法兰-2只
- G. 下挡水-1套

- A. Handle-1Pair
- B. Hinge-2Pcs
- C. Connector-4Pcs
- D. Clamp-2Pcs
- E. 135° Connector-2Pcs
- F. Partition-2Pcs
- G. Clamp1Set



EJ-004

淋浴房套装 Shower room combo

- A. 拉手-1付
- B. 合页-2只
- C. 90° 角码-4只
- D. 吊夹-2只
- E. 135° 转角-2只
- F. 法兰-2只
- G. 下挡水-1套

- A. Handle-1Pair
- B. Hinge-2Pcs
- C. Connector-4Pcs
- D. Clamp-2Pcs
- E. 135° Connector-2Pcs
- F. Partition-2Pcs
- G. Clamp1Set






EJ-005

淋浴房套装 Shower room combo

- A. 拉手-1付
- B. 合页-2只
- C. 90° 角码-4只
- D. 吊夹-2只
- E. 135° 转角-2只
- F. 法兰-2只
- G. 下挡水-1套

- A. Handle-1Pair
- B. Hinge-2Pcs
- C. Connector-4Pcs
- D. Clamp-2Pcs
- E. 135° Connector-2Pcs
- F. Partition-2Pcs
- G. Clamp1Set



EJ-006

淋浴房套装 Shower room combo

- A. 拉手-1付
- B. 合页-2只
- C. 90° 角码-2只
- D. 吊夹-2只
- E. 法兰-2只
- F. 下挡水-1套

- A. Handle-1Pair
- B. Hinge-2Pcs
- C. Connector-2Pcs
- D. Clamp-2Pcs
- E. Partition-2Pcs
- F. Clamp1Set




EJ-1001 圆角斜边0° 浴室夹 Fix clip 0°

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:黄铜、不锈钢、锌合金


表面处理:砂光、抛光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Brass, Stainless steel, Zinc alloy

Finish: Satin Nickel, Chrome Plated


EJ-1002 圆角斜边90° 单边浴室夹 Wall to glass 90° one way

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:黄铜、不锈钢、锌合金


表面处理:砂光、抛光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Brass, Stainless steel, Zinc alloy

Finish: Satin Nickel, Chrome Plated


EJ-1003 圆角斜边90° 双边浴室夹 Wall to glass 90° two way

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:黄铜、不锈钢、锌合金


表面处理:砂光、抛光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Brass, Stainless steel, Zinc alloy

Finish: Satin Nickel, Chrome Plated


EJ-1004 圆角斜边135° 浴室夹 Glass to glass 135°

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:黄铜、不锈钢、锌合金


表面处理:砂光、抛光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Brass, Stainless steel, Zinc alloy

Finish: Satin Nickel, Chrome Plated


EJ-1005 圆角斜边180° 浴室夹 Glass to glass 180°

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:黄铜、不锈钢、锌合金


表面处理:砂光、抛光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Brass, Stainless steel, Zinc alloy

Finish: Satin Nickel, Chrome Plated


EJ-1006 圆角斜边90° 双开浴室夹 Glass to glass 90°

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:黄铜、不锈钢、锌合金


表面处理:砂光、抛光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Brass, Stainless steel, Zinc alloy

Finish: Satin Nickel, Chrome Plated


EJ-1007 直角直边90° 浴室夹 Fix clip 0°

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:黄铜、不锈钢、锌合金


表面处理:砂光、抛光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Brass, Stainless steel, Zinc alloy

Finish: Satin Nickel, Chrome Plated


EJ-1008 直角直边90° 单边浴室夹 Wall to glass 90° one way

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:黄铜、不锈钢、锌合金


表面处理:砂光、抛光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Brass, Stainless steel, Zinc alloy


Finish: Satin Nickel, Chrome Plated




EJ-1009 直角直边90° 双边浴室夹 Wall to glass 90° two way


适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。
Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化
承重:40kg / 对
材质:黄铜、不锈钢、锌合金
表面处理:砂光、镜光
Note: glass must be toughened
Bearing weight: 40kg / Pair
Material: Brass, Stainless steel, Zinc alloy
Finish: Satin Nickel, Chrome Plated


EJ-1010 直角直边135° 浴室夹 Glass to glass 135°


适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。
Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化
承重:40kg / 对
材质:黄铜、不锈钢、锌合金
表面处理:砂光、镜光
Note: glass must be toughened
Bearing weight: 40kg / Pair
Material: Brass, Stainless steel, Zinc alloy
Finish: Satin Nickel, Chrome Plated


EJ-1011 直角直边180° 浴室夹 Glass to glass 180°


适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。
Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化
承重:40kg / 对
材质:黄铜、不锈钢、锌合金
表面处理:砂光、镜光
Note: glass must be toughened
Bearing weight: 40kg / Pair
Material: Brass, Stainless steel, Zinc alloy
Finish: Satin Nickel, Chrome Plated


EJ-1012 直角直边90° 双开浴室夹 Glass to glass 90°


适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。
Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化
承重:40kg / 对
材质:黄铜、不锈钢、锌合金
表面处理:砂光、镜光
Note: glass must be toughened
Bearing weight: 40kg / Pair
Material: Brass, Stainless steel, Zinc alloy
Finish: Satin Nickel, Chrome Plated


EJ-1013 直角弧面0° 浴室夹 Fix clip 0°


适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。
Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化
承重:40kg / 对
材质:黄铜、不锈钢、锌合金
表面处理:砂光、镜光
Note: glass must be toughened
Bearing weight: 40kg / Pair
Material: Brass, Stainless steel, Zinc alloy
Finish: Satin Nickel, Chrome Plated


EJ-1014 直角弧面90° 单边浴室夹 Wall to glass 90° one way


适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。
Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化
承重:40kg / 对
材质:黄铜、不锈钢、锌合金
表面处理:砂光、镜光
Note: glass must be toughened
Bearing weight: 40kg / Pair
Material: Brass, Stainless steel, Zinc alloy
Finish: Satin Nickel, Chrome Plated


EJ-1015 直角弧面90° 双边浴室夹 Wall to glass 90° two way


适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。
Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°


注意:玻璃必需钢化
承重:40kg / 对
材质:黄铜、不锈钢、锌合金
表面处理:砂光、镜光
Note: glass must be toughened
Bearing weight: 40kg / Pair
Material: Brass, Stainless steel, Zinc alloy
Finish: Satin Nickel, Chrome Plated


EJ-1016 直角弧面135° 浴室夹 Glass to glass 135°

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。
Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化
承重:40kg / 对
材质:黄铜、不锈钢、锌合金
表面处理:砂光、镜光
Note: glass must be toughened
Bearing weight: 40kg / Pair
Material: Brass, Stainless steel, Zinc alloy
Finish: Satin Nickel, Chrome Plated






EJ-1025 90° 长夹单边 Wall to glass 90° one way

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意: 玻璃必需钢化

承重: 45kg / 对

材质: 优质不锈钢


表面处理: 亮光、砂光

Note: glass must be toughened

Bearing weight: 45kg / Pair

Material: Quality stainless steel

Finish: PSS, SSS


EJ-1026 90° 长夹双边 Wall to glass 90° two way

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意: 玻璃必需钢化

承重: 45kg / 对

材质: 优质不锈钢


表面处理: 亮光、砂光

Note: glass must be toughened

Bearing weight: 45kg / Pair

Material: Quality stainless steel

Finish: PSS, SSS


EJ-1027 135° 长夹 Glass to glass 135°

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意: 玻璃必需钢化

承重: 45kg / 对

材质: 优质不锈钢


表面处理: 亮光、砂光

Note: glass must be toughened

Bearing weight: 45kg / Pair

Material: Quality stainless steel

Finish: PSS, SSS


EJ-1029 半圆135° 单边浴室夹 Wall to glass 135° one way

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意: 玻璃必需钢化

承重: 40kg / 对

材质: 锌合金、黄铜


表面处理: 砂光、镜光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Zinc alloy, Brass

Finish: Satin Nickel, Chrome Plated


EJ-1030 半圆90° 双边浴室夹 Wall to glass 90° two way

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意: 玻璃必需钢化

承重: 40kg / 对

材质: 锌合金、黄铜


表面处理: 砂光、镜光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Zinc alloy, Brass

Finish: Satin Nickel, Chrome Plated


EJ-1031 半圆180° 浴室夹 Glass to glass 180°

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意: 玻璃必需钢化

承重: 40kg / 对

材质: 锌合金、黄铜


表面处理: 砂光、镜光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Zinc alloy, Brass

Finish: Satin Nickel, Chrome Plated


EJ-1032 长半圆90° 单边浴室夹 Wall to glass 90° one way

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意: 玻璃必需钢化

承重: 40kg / 对

材质: 锌合金、黄铜


表面处理: 砂光、镜光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Zinc alloy, Brass

Finish: Satin Nickel, Chrome Plated





EJ-1033 长半圆90° 双边浴室夹 Wall to glass 90° two way

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:锌合金、黄铜


表面处理:砂光、镜光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Zinc alloy, Brass

Finish: Satin Nickel, Chrome Plated



EJ-1034 长半圆180° 浴室夹 Glass to glass 180°

适用于门宽800-1000mm,厚度8-12mm玻璃门安装,门
关至约25°时,门会自关闭。

Applicable for 800-1000mm wide and 8-12mm thick
glass door, Door will be close automatically at
approximately 25°

注意:玻璃必需钢化

承重:40kg / 对

材质:锌合金、黄铜


表面处理:砂光、镜光

Note: glass must be toughened

Bearing weight: 40kg / Pair

Material: Zinc alloy, Brass

Finish: Satin Nickel, Chrome Plated



EJ-1035 方形浴室连接件 Square bathroom connection

规格:8-10mm钢化玻璃


材质:不锈钢

表面处理:砂光、镜光

Size: 8-10mm toughened glass

Material: Stainless steel

Finish: Satin, Nickel, Chrome plated



规格:8-10mm钢化玻璃
Size: 8-10mm toughened glass

材质:黄铜、不锈钢、锌合金
Material: Brass, Stainless steel, Zinc alloy


表面处理:砂光、镜光
Finish: Satin, Nickel, Chrome plated



EJ-1050D

浴室间断码 0°


Fix clip 0°



EJ-1050S

浴室间断码 0°


Fix clip 0°



EJ-1052

浴室间断码 -90° 双面


Double 90°



EJ-1051

浴室间断码 -90° 单面


Single 90°



EJ-1054

浴室间断码 -135° 双面


Double 135°



EJ-1053

浴室间断码 -135° 单面


Double 135°



EJ-1056

浴室间断码 -180° 双面


Double 180°



EJ-1055

浴室间断码 -180° 单面

Double 180°



规格：8~10mm钢化玻璃
Size: 8~10mm toughened glass

材质：黄铜、不锈钢、锌合金
Material: Brass, Stainless steel, Zinc alloy

表面处理：砂光、抛光
Finish: Satin, Nickel, Chrome plated


规格：8~10mm钢化玻璃
Size: 8~10mm toughened glass

材质：不锈钢
Material: Stainless steel

表面处理：砂光、抛光
Finish: Satin, Nickel, Chrome plated


EJ-1056D

浴室隔断码-0°
Fix clip 0° double hole




EJ-1056S

浴室隔断码-0°
Fix clip 0° single hole




EJ-1057

浴室隔断码-90° 双面
Double 90°




EJ-1058

浴室隔断码-90° 单面
Single 90°




EJ-1059

浴室隔断码-135° 双面
Double 135°




EJ-1060

浴室隔断码-135° 单面
Single 135°




EJ-1061

浴室隔断码-180° 双面
Double 180°




EJ-1062

浴室隔断码-180° 单面
Single 180°




EJ-1063

浴室隔断码-0°
Fix clip 0° double hole




EJ-1064

浴室隔断码-90° 单面
Single 90°




EJ-1065

浴室隔断码-90° 双面
Double 90°




EJ-1066

浴室隔断码-135° 单面
Single 135°




EJ-1067

浴室隔断码-135° 双面
Double 135°




EJ-1068

浴室隔断码-180° 单面
Single 180°



EJ-1069

浴室隔断码-180° 双面
Double 180°




规格：8~10mm钢化玻璃
Size: 8~10mm toughened glass

材质：不锈钢
Material: Stainless steel

表面处理：砂光、抛光
Finish: Satin, Nickel, Chrome plated


EJ-1071D

浴室间断码-0°
Fix clip 0° double hole




EJ-1071S

浴室间断码-0°
Fix clip 0° single hole




EJ-1072

浴室间断码-90° 双面
Double 90°




EJ-1073

浴室间断码-90° 单面
Single 90°




EJ-1074

浴室间断码-135° 双面
Double 135°




EJ-1075

浴室间断码-135° 单面
Single 90°




EJ-1076

浴室间断码-180° 双面
Double 180°



EJ-1077

浴室间断码-180° 单面
Single 180°




规格：8~10mm钢化玻璃
Size: 8~10mm toughened glass

材质：不锈钢
Material: Stainless steel

表面处理：砂光、抛光
Finish: Satin, Nickel, Chrome plated


EJ-1078

浴室间断码-0°
Fix clip 0° double hole




EJ-1079

浴室间断码-90° 单面
Single 90°



EJ-1080

浴室间断码-90° 双面
Double 90°




EJ-1081

浴室间断码-135° 单面
Single 135°




EJ-1082

浴室间断码-135° 双面
Double 135°




EJ-1083

浴室间断码-180° 单面
Single 180°




EJ-1084

浴室间断码-180° 双面
Double 180°



EJ-1085

浴室间断码-0°
Fix clip 0°




规格：8~10mm钢化玻璃
Size: 8~10mm toughened glass

材质：锌合金
Material: Zinc alloy

表面处理：砂光、镜光
Finish: Satin, Nickel, Chrome plated


EJ-1086

浴室隔断码 0°
Fix clip 0°




EJ-1087

浴室隔断码 90° 单面
Single 90°




EJ-1088

浴室隔断码 90° 双面
Double 90°




EJ-1089

浴室隔断码 135° 单面
Single 135°




EJ-1090

浴室隔断码 135° 双面
Double 135°




EJ-1091

浴室隔断码 180° 单面
Single 180°




EJ-1092

浴室隔断码 180° 双面
Double 180°




EJ-1093

浴室隔断码 T 型
T type




EJ-1101

材质：锌合金
Material: Zinc Alloy
表面处理：拉丝、镜光
Finish: SN, CP




EJ-1102

材质：锌合金
Material: Zinc Alloy
表面处理：拉丝、镜光
Finish: SN, CP




EJ-1103

材质：锌合金
Material: Zinc Alloy
表面处理：拉丝、镜光
Finish: SN, CP




EJ-1104

材质：铝合金
Material: Aluminum Alloy
表面处理：拉丝、镜光
Finish: SN, CP




EJ-1105

材质：不锈钢
Material: Stainless Steel
表面处理：拉丝、镜光
Finish: SSS, PSS




EJ-1106

材质：不锈钢
Material: Stainless Steel
表面处理：拉丝、镜光
Finish: SSS, PSS




EJ-1107

材质：不锈钢
Material: Stainless Steel
表面处理：拉丝、镜光
Finish: SSS, PSS




EJ-1108

材质：不锈钢
Material: Stainless Steel
表面处理：拉丝、镜光
Finish: SSS, PSS
尺寸(Size): 45x45mm



EJ-1109


材质：不锈钢
Material: Stainless Steel
表面处理：拉丝、镜光
Finish: SSS, PSS
尺寸(Size): 50x45x27mm



安装示意图
Installation illustration


浴室间隔配件系列选用精纯铜材与304不锈钢制成，构造明确，线型清晰。配合多种安装形式，系列产品齐全，安装方便。

Bathroom connector series select pure copper and 304 Stainless steel, look concisely and clearly. We have complete sets products, and with many kinds of installation, making installation easier.




EJ-1110 淋浴房拉杆 Bathroom Rod

材质：不锈钢 Material: Stainless steel
表面处理：拉丝、镜光 Finish: SN, CP
注意：可根据客户订做不同规格




EJ-1111 淋浴房拉杆 Bathroom Rod

材质：不锈钢 Material: Stainless steel
表面处理：拉丝、镜光 Finish: SN, CP
注意：可根据客户订做不同规格




EJ-1112 淋浴房拉杆 Bathroom Rod

材质：不锈钢 Material: Stainless steel
表面处理：拉丝、镜光 Finish: SN, CP
注意：可根据客户订做不同规格




EJ-1113 淋浴房拉杆 Bathroom Rod

材质：不锈钢 Material: Stainless steel
表面处理：拉丝、镜光 Finish: SN, CP
注意：可根据客户订做不同规格




EJ-1115 玻璃固定拉杆
Glass fastness kningthead

材质：不锈钢 Material: Stainless steel
表面处理：拉丝、镜光 Finish: SN, CP
注意：可根据客户订做不同规格




EJ-1116 玻璃固定拉杆
Glass fastness kningthead

材质：不锈钢 Material: Stainless steel
表面处理：拉丝、镜光 Finish: SN, CP
注意：可根据客户订做不同规格




EJ-1117 玻璃固定拉杆
Glass fastness kningthead

材质：不锈钢 Material: Stainless steel
表面处理：拉丝、镜光 Finish: SN, CP
注意：可根据客户订做不同规格




EJ-1118 玻璃固定拉杆
Glass fastness kningthead

材质：不锈钢 Material: Stainless steel
表面处理：拉丝、镜光 Finish: SN, CP
注意：可根据客户订做不同规格



EJ-1119 玻璃固定拉杆
Glass fastness kningthead

材质：不锈钢 Material: Stainless steel
表面处理：拉丝、镜光 Finish: SN, CP
注意：可根据客户订做不同规格






EJ-1120

颜色：亮光、拉丝
材质：锌合金、不锈钢、黄铜
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Zinc, 304#, 316#, Brass
Diameter: Φ19, Φ25
Available for: bathroom partition



EJ-1121

颜色：亮光、拉丝
材质：黄铜、不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1122

颜色：亮光、拉丝
材质：黄铜、不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1123

颜色：亮光、拉丝
材质：锌合金、不锈钢、黄铜
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Zinc, 304#, 316#, Brass
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1124

颜色：亮光、拉丝
材质：锌合金、不锈钢、黄铜
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Zinc, 304#, 316#, Brass
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1125

颜色：亮光、拉丝
材质：黄铜、不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1126

颜色：亮光、拉丝
材质：黄铜、不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition



EJ-1127

颜色：亮光、拉丝
材质：锌合金、不锈钢、黄铜
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Zinc, 304#, 316#, Brass
Diameter: Φ19, Φ25
Available for: bathroom partition



EJ-1128

颜色：亮光、拉丝
材质：黄铜、不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1129

颜色：亮光、拉丝
材质：黄铜、不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition



EJ-1130

颜色：亮光、拉丝
材质：黄铜、不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1131

颜色：亮光、拉丝
材质：不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1132

颜色：亮光、拉丝
材质：不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1133

颜色：亮光、拉丝
材质：不锈钢
配套圆管：Φ19、Φ25
适用范围：浴室间隔
Finish: SN, CP
Material: Brass, Stainless steel
Diameter: Φ19, Φ25
Available for: bathroom partition




EJ-1134

浴室玻璃拉手
Bathroom knob
颜色：亮光、拉丝
材质：铝合金、黄铜、不锈钢
配套圆管：Φ19、Φ25
Finish: SN, CP
Material: Aluminum, Brass, Stainless Steel
Diameter: Φ19, Φ25



EJ-1135


浴室玻璃拉手
Bathroom knob
材质：铝合金、黄铜、不锈钢
表面处理：格、拉丝
Material: Aluminum, Brass, Stainless Steel
Finish: CP, SN



EJ-1136


浴室玻璃拉手
Bathroom knob

材质：铝合金、黄铜、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Brass, Stainless Steel
Finish: CP, SN


EJ-1137


浴室玻璃拉手
Bathroom knob

材质：铝合金、黄铜、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Brass, Stainless Steel
Finish: CP, SN


EJ-1138


浴室玻璃拉手
Bathroom knob

材质：铝合金、黄铜、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Brass, Stainless Steel
Finish: CP, SN


EJ-1139


浴室玻璃拉手
Bathroom knob

材质：铝合金、黄铜、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Brass, Stainless Steel
Finish: CP, SN


EJ-1140


浴室玻璃拉手
Bathroom knob

材质：铝合金、黄铜、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Brass, Stainless Steel
Finish: CP, SN


EJ-1141


浴室玻璃拉手
Bathroom knob

材质：铝合金、黄铜、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Brass, Stainless Steel
Finish: CP, SN


EJ-1142


浴室玻璃拉手
Bathroom knob

材质：铝合金、黄铜、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Brass, Stainless Steel
Finish: CP, SN


EJ-1143


浴室玻璃拉手
Bathroom knob

材质：铝合金、黄铜、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Brass, Stainless Steel
Finish: CP, SN


EJ-1144


浴室玻璃拉手
Bathroom knob

材质：铝、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Stainless steel
Finish: CP, SN


EJ-1145


浴室玻璃拉手
Bathroom knob

材质：铝、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Stainless steel
Finish: CP, SN


EJ-1146


浴室玻璃拉手
Bathroom knob

材质：不锈钢
表面处理：铬、拉丝
Material: Stainless steel
Finish: CP, SN


EJ-1147


浴室玻璃拉手
Bathroom knob

材质：不锈钢
表面处理：铬、拉丝
Material: Stainless steel
Finish: CP, SN


EJ-1148

浴室玻璃拉手
Bathroom knob

材质：不锈钢
表面处理：铬、拉丝
Material: Stainless steel
Finish: CP, SN


EJ-1149

浴室玻璃拉手
Bathroom knob

材质：不锈钢
表面处理：铬、拉丝
Material: Stainless steel
Finish: CP, SN


EJ-1150


浴室玻璃拉手
Bathroom knob

材质：不锈钢
表面处理：铬、拉丝
Material: Stainless steel
Finish: CP, SN


EJ-1151

浴室玻璃拉手
Bathroom knob

材质：不锈钢
表面处理：铬、拉丝
Material: Stainless steel
Finish: CP, SN





BATHROOM PENDANT SERIES

卫浴挂件系列

卫浴挂件系列
BATHROOM PENDANT SERIES


YOUR GLASS SOLUTION
LEIPANG GLASS HARDWARE MANUFACTURER



EJ-5001

毛巾架 Towel Rack


主要材质：不锈钢
表面处理：镜光
Material: Stainless steel
Finish: Chrome Plated



EJ-5002

毛巾架 Towel Rack


主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin



EJ-5003

毛巾架 Towel Rack


主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin





EJ-5004 活动衣钩 Mobile Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：镜光 Finsih: Chrome Plated



EJ-5005 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5006 活动衣钩 Mobile Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：镜光 Finsih: Chrome Plated



EJ-5007 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin




EJ-5008 活动衣钩 Mobile Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：镜光 Finsih: Chrome Plated



EJ-5009 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin




EJ-5010 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5011 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin




EJ-5012 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin




EJ-5013 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin




EJ-5014 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5015 衣钩 Robe Hook


主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin






EJ-5016 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5017 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin




EJ-5018 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin




EJ-5019 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin




EJ-5020 衣钩 Robe Hook

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5021 衣钩 Robe Hook


主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5022

置物篮 Pendant


主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5023

置物篮 Pendant

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin




产品规格：200x120
250x120
300x120
350x120
400x120
500x120
600x120



EJ-5024

置物篮 Pendant


主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5025

置物篮 Pendant


主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5026

置物篮 Pendant


主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin



EJ-5027


置物篮 Pendant

主要材质：不锈钢 Material: Stainless steel
表面处理：拉丝 Finsih: Satin







EJ-5028
置物篮 Pendant
主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5029
置物篮 Pendant
主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5030
置物篮 Pendant
主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5031
置物篮 Pendant
主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin



EJ-5032
置物篮 Pendant
主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5033
置物篮 Pendant
主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5034 纸巾架 Tissue Rack

主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5035 纸巾架 Tissue Rack

主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5036 纸巾架 Tissue Rack

主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5037 纸巾架 Tissue Rack

主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin



EJ-5038 纸巾架 Tissue Rack

主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin



EJ-5039 毛巾环 Towel Ring


主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin






EJ-5040 单皂碟 Single Soap Dish

主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5041 单皂碟 Single Soap Dish

主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5042 单杯架 Single Cup Holder

主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin




EJ-5043 双杯架 Double Tumbler Holder

主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin



EJ-5044 马桶刷架 Toilet Brush Holder


主要材质：不锈钢
表面处理：拉丝
Material: Stainless steel
Finish: Satin



EJ-5045 卫浴镜 Bathroom Mirror




材料：铝、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Stainless steel
Finish: CP, SN




EJ-5047 卫浴镜 Bathroom Mirror



材料：铝、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Stainless steel
Finish: CP, SN



EJ-5049 卫浴镜 Bathroom Mirror



材料：铝、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Stainless steel
Finish: CP, SN



EJ-5046 卫浴镜 Bathroom Mirror




材料：铝、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Stainless steel
Finish: CP, SN



EJ-5048 卫浴镜 Bathroom Mirror



材料：铝、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Stainless steel
Finish: CP, SN



EJ-5050 卫浴镜 Bathroom Mirror




材料：铝、不锈钢
表面处理：铬、拉丝
Material: Aluminum, Stainless steel
Finish: CP, SN






EJ-1400

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass



EJ-1401

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass



EJ-1402

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass




EJ-1403

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass



EJ-1404

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass




EJ-1405

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass



EJ-1406

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass



EJ-1407

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass




EJ-1416

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass





EJ-1417

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass




EJ-1418

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass





EJ-1419

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass




EJ-1420

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass



EJ-1421

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass



EJ-1423

配装6、8、10、12mm玻璃
For 6 / 8 / 10 / 12mm glass





EJS-001 标准配置 Standard Application



EJS-001-2



EJS-001-4



EJS-001-1



EJS-001-1



EJS-001-1



YG-501-1



EJS-002 标准配置 Standard Application



EJS-002-2



EJS-002-4



EJS-002-1



EJS-002-1



EJS-002-1



EJS-002-1



EJS-003 标准配置 Standard Application



EJS-005 标准配置 Standard Application



EJS-004 标准配置 Standard Application



EJS-006 标准配置 Standard Application





EJS-007 标准配置 Standard Application



EJS-007-2



EJS-007-2



EJS-007-2



EJS-007-2



EJS-007-2



EJS-007-1



EJS-007-1



Ø25管



EJS-009 标准配置 Standard Application



EJS-009-4



EJS-009-4



EJS-009-1



EJS-009-4



EJS-009-2



EJS-009-2



EJS-009-2



30x10管



Ø8实心棒



EJS-008 标准配置 Standard Application



EJS-008-2



EJS-008-2



EJS-008-2



EJS-008-2



EJS-008-1



EJS-008-1



Ø22管



Ø8实心棒



EJS-010 标准配置 Standard Application



EJS-010-2



EJS-010-2



EJS-010-2



EJS-010-2



EJS-010-2



EJS-010-1



EJS-010-1



30x10管

EJS-011(A款) 标准配置 Standard Application



EJS-011-1-2



EJS-011-2-1



EJS-011-3-4



EJS-011-4-2

EJS-011(B款) 标准配置 Standard Application



EJS-011-1-2



EJS-011-2-1



EJS-011-3-4



EJS-011-4-2

EJS-012(A款) 标准配置 Standard Application



EJS-012-1-2



EJS-012-2-1



EJS-012-3-4



EJS-012-4-2

EJS-012(B款) 标准配置 Standard Application



EJS-012-1-2



EJS-012-2-1




EJS-012-3-4



EJS-012-4-2

EJS-013 标准配置 Standard Application



EJS-013-1-2
(Zinc alloy)



EJS-013-1-2



EJS-013-2-2



EJS-013-3-1 EJS-013-4-1




EJS-013-5-1



EJS-013-6-1

EJS-014 标准配置 Standard Application



EJS-014-1-2
(Zinc alloy)



EJS-014-1-2



EJS-014-2-1



EJS-014-3-1 EJS-014-4-1



EJS-014-5-1



EJS-014-6-1

EJS-015 标准配置 Standard Application



EJS-015-1-2
(Zinc alloy)



EJS-015-1-2



EJS-015-2-2



EJS-015-4-1 EJS-015-5-1



EJS-015-6-1




EJS-015-3-1



EJS-016

玻璃吊轮
Glass hanging wheel

主要材质: 不锈钢、铁
表面处理: 铬白、拉丝镍
规格: 10-18mm钢化玻璃
最大承重: 100kg
Materials: Stainless steel, Iron
Finish: Chrome, Nickel
Size: 10-18mm toughened glass
Max door weight: 100kg






EJS-017


玻璃吊轮 Glass hanging wheel

主要材质: 不锈钢、铁
表面处理: 铬白、拉丝镍
规格: 10-18mm钢化玻璃
最大承重: 100kg
Materials: Stainless steel, Iron
Finish: Chrome, Nickel
Size: 10-18mm toughened glass
Max door weight: 100kg




EJS-022

T-型固定件 T-type fittings



EJS-023


直型固定件 Fixed fittings



EJS-018

木门吊轮 Wood door hanging wheel


主要材质: 不锈钢
表面处理: 砂光、光面
最大承重: 100kg
Materials: Stainless steel
Finish: SN, CP
Max door weight: 100kg



EJS-019

木门吊轮 Wood door hanging wheel


主要材质: 不锈钢
表面处理: 砂光、光面
最大承重: 100kg
Materials: Stainless steel
Finish: SN, CP
Max door weight: 100kg



EJS-020

木门吊轮 Wood door hanging wheel


主要材质: 不锈钢
表面处理: 砂光、光面
最大承重: 100kg
Materials: Stainless steel
Finish: SN, CP
Max door weight: 100kg



EJS-021


木门吊轮 Wood door hanging wheel

主要材质: 不锈钢
表面处理: 砂光、光面
最大承重: 100kg
Materials: Stainless steel
Finish: SN, CP
Max door weight: 100kg




EJS-024

管夹 Clamp fixing for track (与玻璃连接) The connction with glass



EJS-025

管夹 Clamp fixing for track (与墙体连接) The connction with wall




EJS-026

定位器 Localizer




EJS-027

管夹(与玻璃连接) Glass to tube support bracket insert STD




EJS-028

管夹(与玻璃连接) Glass to tube support bracket insert STD



EJS-029

管夹 Clamp fixing for track (与墙体连接) The connction with wall



BALUSTRADE SERIES

立柱系列



立柱系列
BALUSTRADE SERIES

YOUR GLASS SOLUTION
LEIPANG GLASS HARDWARE MANUFACTURER



EJ-601

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-602

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-603

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-604

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-605

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-606

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-607

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-608

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-609

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-610

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-611

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-612

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-613

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-614

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-615

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-616

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-617

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-618

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-619

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-620

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-621

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-622

表面处理：砂面 / 亮光
产品材质：不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-623

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-624

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-625

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-626

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-627

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-628

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-629

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-630

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-631

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-632

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-633

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-634

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-635

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-636

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel



EJ-637

表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel




EJ-638


表面处理: 砂面 / 亮光
产品材质: 不锈钢
Finish: Satin / Polished
Material: Stainless steel





EJ-639
Material: SUS304 / SUS316



EJ-640
Material: SUS304 / SUS316





EJ-641




玻璃的安装和处理：
玻璃/玻璃边角对接装置，用于厚度为
10毫米与12毫米的钢化玻璃

GLASS PREPARATION
For glass/glass corner connectors for




结构部件与组装示意图
Components and assembly of the wall fixing




For glass/glass corner connectors for 10mm and 12mm thick toughened glass.



EJ-642
单杆固定件
Ceiling to glass connector CS
(墙体与玻璃连接, 单头可调角度)
Connection for connecting
wall and glass, just one sides
can be adjusted angle




EJ-643
单杆固定件
Ceiling to glass fixed point
connector
(墙体与玻璃连接, 不可调角度)
Connect for connecting wall
and can't be adjustable






EJ-644

单杆固定件
Glass to wall connector CS
(墙体与玻璃连接, 双头可调角度)
Connection for connecting wall and glass, both sides can be adjustable




EJ-645

单杆固定件
Glass to glass connector CS
(墙体与玻璃连接, 双头可调角度)
Connection for connecting glass and glass, both sides can be adjustable




EJ-646

双杆固定件
Double glass to fin connector CS
(墙体与玻璃连接, 四头可调角度)
Connection for connecting wall and glass, four directions sides can be adjustable




EJ-647

180° 双杆固定件
180° Deg forced point double connector CS
(墙体与玻璃连接, 双头可调角度)
Connection for connecting wall and glass, both sides can be adjustable



EJ-648

单杆固定件
Glass/wall Corner connector
(墙体与玻璃连接, 不可调角度)
Connecting wall and glass, can't be adjustable




A
Countersunk holes connecting



B
Flat holes connecting

Use: two kinds options of glass connection, mainly used for clamping glass.
Two kinds connecting for glass holes:



EJ-649



EJ-650



EJ-651



EJ-652





EJ-653



EJ-654



单杆固定杆/连接墙体
Wall to glass connector STD(cable connection)



EJ-655

悬臂支架/连接墙体
Rear cantilever wall bracket STD(cable connection)



(与玻璃连接)
The connection with glass



EJ-656

吊索固定杆/与玻璃连接
Front cantilever glass bracket STD(cable connection)

(最大玻璃承重100KG)
The maximum weight is 100kg




EJ-657


连接杆
Connecting rod




EJ-658
曲型顶轴
Side panelover panel pivot
主要材质: 不锈钢
Material: Stainless steel




EJ-659
曲型顶轴
Side panelover panel pivot
主要材质: 不锈钢
Material: Stainless steel




EJ-660
T型顶轴
Wallover panel pivot
主要材质: 不锈钢
Material: Stainless steel




EJ-661
曲型固定件
Side panelover panel connector
主要材质: 不锈钢
Material: Stainless steel



EJ-662
直顶轴
Over panel pivot
主要材质: 不锈钢
Material: Stainless steel



EJ-663
直顶轴
Over panel pivot
主要材质: 不锈钢
Material: Stainless steel



EJ-664
限位器
Ceiling mounted door stop
主要材质: 不锈钢
Material: Stainless steel



EJ-665
限位器
Over panel door stop
主要材质: 不锈钢
Material: Stainless steel



EJ-666
曲型顶轴
Side panelover panel pivot
主要材质: 不锈钢
Material: Stainless steel



EJ-667
直顶轴
Over panel pivot
主要材质: 不锈钢
Material: Stainless steel



EJ-668
上轴
Top door pivot
主要材质: 不锈钢
Material: Stainless steel




EJ-669
地轴
Bottom door pivot
主要材质: 不锈钢
Material: Stainless steel






EJ-670


Advertising screws series
Materials: Stainless steel, Cuprum
Finish: Satin / Stainless steel



EJ-671








EJ-672




EJ-673

Material: CF8/CF8M
Surface finish: satin/mirror
Glass thickness T: 12-20mm



EJ-674

Material: CF8/CF8M
Surface finish: satin/mirror
Glass thickness T: 12-20mm




EJ-675

Material: CF8/CF8M
Surface finish: satin/mirror
Glass thickness T: 12-20mm




EJ-676

Glass connector




EJ-677

Glass connector




EJ-678

四爪
4-Claw glass spider




EJ-689

三爪
3-Claw glass spider




EJ-680

180° 双爪
180° 2-Claw spider




EJ-681

90° 双爪
90° 2-Claw spider




EJ-682

小单爪
180° Single spider



EJ-683

小90° 单爪
90° Single spider



表面处理: 砂光、镀铬
Finish: Satin nickel, Chrome plated

主要材质: 精铸不锈钢
Material: Casting Stainless steel


适用范围: 幕墙玻璃
Available for: Curtain wall glass

主要功能: 玻璃固定连接
Function: Glass fixed connect




EJ-ASS1

驳接头 Routel




EJ-ASS2

驳接头 Routel




EJ-141S

长单爪
1-Claw glass spider (long)




EJ-141L

短单爪
1-Claw glass spider (short)




EJ-142

180° 双爪
180° 2-Claw glass spider




EJ-143

90° 双爪
90° 2-Claw glass spider




EJ-144

三爪
3-Claw glass spider




EJ-145

四爪
4-Claw glass spider




EJ-146

K型爪
K-claw glass spider



EJ-147

T型爪
T-claw glass spider



LECEP HANDLE SERIES


门执手系列






EJ-3001 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3002 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3003 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3004 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3005 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3006 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3007 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3008 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3009 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3010 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3011 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm



EJ-3012 门执手 Lecer Handle


主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm





EJ-3013 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3014 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3015 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3016 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3017 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3018 门执手 Lecer Handle

主要材质: 304不锈钢
表面处理: 拉丝
特性: 带回位弹簧
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Features: With back spring
Available door thickness: 35-60mm




EJ-3019 执手锁 Lock cover

主要材质: 不锈钢
表面处理: 拉丝
直径: 53mm
适用门厚: 35-60mm
Material: Stainless steel
Finish: SN
Diameter: 53mm
Available door thickness: 35-60mm




EJ-3020 执手锁 Lock cover

主要材质: 不锈钢
表面处理: 拉丝
直径: 53mm
适用门厚: 35-60mm
Material: Stainless steel
Finish: SN
Diameter: 53mm
Available door thickness: 35-60mm



EJ-3021 执手锁 Handle lock

主要材质: 304不锈钢
表面处理: 亮光
直径: 53mm
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: Chrome
Diameter: 53mm
Available door thickness: 35-60mm




EJ-3022 执手锁 Handle lock

主要材质: 304不锈钢
表面处理: 亮光
直径: 53mm
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: Chrome
Diameter: 53mm
Available door thickness: 35-60mm



EJ-3023 指示盖圈 Indicator

主要材质: 304 不锈钢
表面处理: 拉丝
直径: 53mm
适用门厚: 35-60mm
Material: 304 Stainless steel
Finish: SN
Diameter: 53mm
Available door thickness: 35-60mm






EJ-3024
合页 Hinge



EJ-3025
合页 Hinge




Dimension(H x W x T)

3.0" x 2.0" x 2.0mm	4.0" x 4.0" x 2.5mm	5.0" x 3.5" x 3.0mm	4.5" x 4.5" x 4.0mm
3.0" x 2.5" x 2.0mm	5.0" x 3.0" x 2.5mm	5.0" x 4.0" x 3.0mm	5.0" x 3.0" x 4.0mm
4.0" x 3.0" x 2.0mm	5.0" x 3.5" x 2.5mm	6.0" x 4.0" x 3.0mm	5.0" x 4.0" x 4.0mm
3.0" x 3.0" x 2.0mm	5.0" x 4.0" x 2.5mm	6.0" x 5.0" x 3.0mm	5.0" x 5.0" x 4.0mm
4.0" x 3.5" x 2.0mm	4.0" x 3.0" x 3.0mm	4.5" x 4.0" x 3.5mm	6.0" x 4.0" x 4.0mm
4.0" x 4.0" x 2.0mm	4.0" x 3.5" x 3.0mm	4.5" x 4.5" x 3.5mm	4.0" x 4.0" x 4.5mm
3.5" x 3.0" x 2.5mm	4.0" x 4.0" x 3.0mm	5.0" x 5.0" x 3.5mm	4.5" x 4.0" x 4.5mm
3.5" x 3.5" x 2.5mm	4.5" x 4.0" x 3.0mm	4.0" x 3.0" x 4.0mm	4.5" x 4.5" x 4.5mm
4.0" x 3.0" x 2.5mm	4.5" x 4.5" x 3.0mm	4.0" x 3.5" x 4.0mm	5.0" x 4.0" x 4.5mm
4.0" x 3.5" x 2.5mm	5.0" x 3.0" x 3.0mm	4.5" x 4.0" x 4.0mm	5.0" x 4.5" x 4.5mm



EJ-3026




Dimension(H x W x T)

4.0" x 3.0" x 2.0mm	4.0" x 4.0" x 3.0mm	6.0" x 5.0" x 3.0mm	4.0" x 3.0" x 4.0mm
4.0" x 4.0" x 2.0mm	4.5" x 4.0" x 3.0mm	4.0" x 3.0" x 3.5mm	4.0" x 3.5" x 4.0mm
3.5" x 3.5" x 2.5mm	4.5" x 4.5" x 3.0mm	4.0" x 4.0" x 3.5mm	5.0" x 3.5" x 4.0mm
4.0" x 3.0" x 2.5mm	5.0" x 3.0" x 3.0mm	5.0" x 3.5" x 3.5mm	5.0" x 4.0" x 4.0mm
4.0" x 4.0" x 2.5mm	5.0" x 3.5" x 3.0mm	5.0" x 4.0" x 3.5mm	6.0" x 4.0" x 4.0mm
5.0" x 3.0" x 2.5mm	5.0" x 4.0" x 3.0mm	5.0" x 5.0" x 3.5mm	6.0" x 5.0" x 4.0mm
5.0" x 3.5" x 2.5mm	5.0" x 5.0" x 3.0mm	6.0" x 3.5" x 3.5mm	6.0" x 4.0" x 3.5mm
3.5" x 3.5" x 3.0mm	6.0" x 3.5" x 3.0mm	6.0" x 4.0" x 3.5mm	6.0" x 5.0" x 3.5mm
4.0" x 3.0" x 3.0mm	6.0" x 4.0" x 3.0mm	6.0" x 5.0" x 3.5mm	




EJ-3027




Dimension(H x W x T)

3.0" x 2.0" x 2.0mm	5.0" x 3.0" x 2.5mm	6.0" x 4.0" x 3.0mm	4.5" x 4.0" x 4.0mm
3.0" x 2.5" x 2.0mm	5.0" x 3.5" x 2.5mm	6.0" x 5.0" x 3.0mm	4.5" x 4.5" x 4.0mm
4.0" x 3.0" x 2.0mm	5.0" x 4.0" x 2.5mm	4.0" x 3.0" x 3.5mm	5.0" x 3.0" x 4.0mm
3.0" x 3.0" x 2.0mm	4.0" x 3.0" x 3.0mm	4.0" x 3.5" x 3.5mm	5.0" x 4.0" x 4.0mm
4.0" x 3.5" x 2.0mm	4.0" x 3.5" x 3.0mm	4.0" x 4.0" x 3.5mm	5.0" x 4.0" x 4.0mm
4.0" x 4.0" x 2.0mm	4.0" x 4.0" x 3.0mm	4.5" x 4.0" x 3.5mm	6.0" x 4.0" x 4.0mm
3.5" x 3.5" x 2.5mm	4.5" x 4.0" x 3.0mm	4.5" x 4.5" x 3.5mm	5.0" x 4.0" x 4.5mm
3.5" x 3.0" x 2.5mm	4.5" x 4.5" x 3.0mm	5.0" x 5.0" x 3.5mm	5.0" x 4.5" x 4.5mm
4.0" x 3.0" x 2.5mm	5.0" x 3.0" x 3.0mm	4.0" x 3.0" x 4.0mm	
4.0" x 3.5" x 2.5mm	5.0" x 3.5" x 3.0mm	4.0" x 4.0" x 2.5mm	
4.0" x 4.0" x 2.5mm	5.0" x 4.0" x 3.0mm	4.0" x 4.0" x 4.0mm	



EJ-3028

Material: Stainless steel
Finishes: SSS, PSS




Model No.	Dimension(H x W x T)
EJ-3028A	90 x 65 x 2.5mm
EJ-3028B	100 x 75 x 2.5mm
EJ-3028C	76.2 x 64 x 2.0mm
EJ-3028D	102 x 76 x 2.0mm



EJ-3029


Material: Stainless steel
Finishes: SSS, PSS




Model No.	Dimension(H x W x T)
EJ-3029A	80 x 80 x 2.5mm
EJ-3029B	82 x 82 x 2.5mm
EJ-3029C	90 x 65 x 2.5mm
EJ-3029D	89 x 89 x 2.5mm




EJ-3030



EJ-3031



EJ-3032



36mm左页扇系列

36mm右页扇系列



EJ-3033




36mm左页扇系列

36mm右页扇系列



EJ-3034



36mm左页扇系列


36mm右页扇系列






EJ-3035 200° 猫眼 200° Door viewer

主要材质：铜
表面处理：镀铬亮光
适用门厚：35-55mm,带后盖
Material: Copper
Finsih: CP
Available door thickness:35-55mm




EJ-3036 200° 猫眼 200° Door viewer

主要材质：铜
表面处理：镀铬亮光
适用门厚：56-70mm,带后盖
Material: Copper
Finsih: CP
Available door thickness:35-55mm




EJ-3037 180° 猫眼 180° Door viewer

主要材质：铜
表面处理：镀铬亮光
适用门厚：40-55mm,带后盖
Material: Copper
Finsih: CP
Available door thickness:35-55mm




EJ-3038 插销防尘套 Dust cover

主要材质：不锈钢
表面处理：拉丝
Material: Copper
Finsih: CP



EJ-3039 金属手动暗插销 Bolt

主要材质：304不锈钢
表面处理：拉丝
尺寸：6"/8"/12"/24"尺寸可选
Material: 304 Stainless steel
Finsih: SN



EJ-3040 木质暗插销 Bolt

主要材质：304不锈钢
表面处理：拉丝
尺寸：6"/8"/10"/12"尺寸可选
Material: 304 Stainless steel
Finsih: SN




EJ-3041 木质盒式冲压手动暗插销 Bolt

主要材质：304不锈钢
表面处理：拉丝
尺寸：6"/8"/10"/12"/18"/24"/40"尺寸可选
Material: 304 Stainless steel
Finsih: SN




EJ-3042 防盗扣 Anti-theft clasp

主要材质：锌合金
表面处理：镀铬亮光
Material: Zinc alloy
Finsih: CP



EJ-3043 防盗链 Anti-theft clasp

主要材质：锌合金
表面处理：镀铬亮光
Material: Zinc alloy
Finsih: CP



EJ-3218

门顶 Door stopper



EJ-3219

门顶 Door stopper



EJ-3220

门顶 Door stopper



EJ-3221

门顶 Door stopper



EJ-3222

门顶 Door stopper



EJ-3223

门顶 Door stopper




EJ-3224

门顶 Door stopper




EJ-3225

门顶 Door stopper




EJ-3226

门顶 Door stopper



EJ-3227


门顶 Door stopper



EJ-3044

家具小拉手 Furniture handle

材质：不锈钢/铁
表面处理：拉丝
Material: Stainless steel/Steel
Finish: Stainless steel Brushed




尺寸 (SIZE)	A	B	C	D
96	96	32	8/10/12	
128	128	32	8/10/12	
160	160	32	8/10/12	
192	192	32	8/10/12	
224	224	32	8/10/12	
256	256	32	8/10/12	

EJ-3045

家具小拉手 Furniture handle

材质：不锈钢/铁
表面处理：拉丝
Material: Stainless steel/Steel
Finish: Stainless steel Brushed




尺寸 (SIZE)	A	B	C	D
146	146	96	32	10/12
178	178	128	32	10/12
210	210	160	32	10/12
242	242	192	32	10/12
274	274	224	32	10/12
306	306	256	32	10/12
338	338	288	32	10/12

EJ-3046

家具小拉手 Furniture handle

材质：不锈钢/铁
表面处理：拉丝
Material: Stainless steel/Steel
Finish: Stainless steel Brushed




尺寸 (SIZE)	A	B	C	D
96	96	32	8/10/12	
128	128	32	8/10/12	
160	160	32	8/10/12	
192	192	32	8/10/12	
224	224	32	8/10/12	
256	256	32	8/10/12	

EJ-3047

家具小拉手 Furniture handle

材质：不锈钢/铁
表面处理：拉丝
Material: Stainless steel/Steel
Finish: Stainless steel Brushed



尺寸 (SIZE)	A	B	C	D
106/108/111	96	32	10/12	
138/140/143	128	32	10/12	
170/172/175	160	32	10/12	
202/204/207	192	32	10/12	
234/236/239	224	32	10/12	
266/268/271	256	32	10/12	


EJ-3048

家具小拉手 Furniture handle


材质：不锈钢/铁
表面处理：拉丝
Material: Stainless steel/Steel
Finish: Stainless steel Brushed




尺寸 (SIZE)	A	B	C	D
106	96	32	20X10	
138	128	32	20X10	
170	160	32	20X10	
202	192	32	20X10	
234	224	32	20X10	
266	256	32	20X10	




EJ-3049 玻璃夹 Glass holder




EJ-3050 玻璃夹 Glass holder




EJ-3057 玻璃夹 Glass holder




EJ-3058 玻璃夹 Glass holder



EJ-3051 玻璃夹 Glass holder



EJ-3052 玻璃夹 Glass holder




EJ-3054 玻璃夹 Glass holder



EJ-3056 玻璃夹 Glass holder



EJ-3053 玻璃夹 Glass holder



EJ-3055 玻璃夹 Glass holder



EJ-3059 玻璃夹 Glass holder



EJ-3060 玻璃夹 Glass holder





卡片



伞



杯

手提袋




信封



牛皮箱



彩箱



笔



笔记本

便签



男工作服



女工作服

形象海报

